



Building long term cooperation and supplying the most Professional service is our main vision.



Profession and Quality is our constant pursuit. We aim to build long trusted term cooperation with our customers.



YES!

**WE DO CUSTOMIZE
CONNECTORS HOUSING & TERMINALS
ACCORDING TO YOUR REQUIREMENTS.**

We stand with our customers to do all we can to help them deliver the vital equipment that citizens and communities across the globe are counting on!



Scan to visit website



🌐 www.lmcecomp.com
✉ rfq@lmcecomp.com
☎ +63 908 818 8003
+63 2 8833 7157

A BULB



LMC-A001

Model	A50/A60(110)/A60(110)/A60(118)/A70/A80/A95		
Wattage	5W/7W/9W/12W/15W/18W/20W		
Case Pack	100pcs/100pcs/100pcs/100pcs/100pcs/100pcs/50pcs		
CBM	0.028m ³ /0.045m ³ /0.045m ³ /0.049m ³ /0.074m ³ /0.102m ³ /0.84m ³		
Color Temperature:	3000K~10000K	Voltage:	85-265V
Material:	PBT+PC		
Lamp Luminous Efficiency:	>100LM/W		
Base Type:	E27/B22		
RA:	>80		



LMC-A002

Model	A60/A65/A70/A80		
Wattage	20W/30W/40W/50W/60W		
Case Pack	100pcs/100pcs/50pcs/50pcs		
CBM	0.043m ³ /0.059m ³ /0.038m ³ /0.052m ³		
Color Temperature:	3000K~10000K	Voltage:	85-265V
Material:	PBT+PC		
Lamp Luminous Efficiency:	>100LM/W		
Base Type:	E27/B22		
RA:	>80		



LMC-A003

Model	A60/A65/A70/A80		
Wattage	20W/30W/40W/50W/60W		
Case Pack	100pcs/100pcs/50pcs/50pcs		
CBM	0.043m ³ /0.059m ³ /0.038m ³ /0.052m ³		
Color Temperature:	3000K~10000K	Voltage:	85-265V
Material:	PBT+PC		
Lamp Luminous Efficiency:	>100LM/W		
Base Type:	E27/B22		
RA:	>80		



LMC-C37

Model	C37		
Wattage	5W/7W		
Case Pack	100pcs/100pcs		
CBM	0.034m ³ /0.034m ³		
Color Temperature:	3000K~10000K	Voltage:	85-265V
Material:	PBT+PC		
Lamp Luminous Efficiency:	>100LM/W		
Base Type:	E27/B22		
RA:	>80		

T BULB



LMC-CP76

Model	T80/T100/T115/T125/T135
Wattage	20W/30W/40W/50W/60W
Case Pack	100pcs/50pcs/40pcs/30pcs/24pcs
CBM	0.128m ³ /0.109m ³ /0.122m ³ /0.123m ³ /0.121m ³
Color Temperature: 3000K~10000K Voltage:85-265V Material:PBT+PC	
Lamp Luminous Efficiency: >100LM/W Base Type:E27/B22 RA:>80	



LMC-T010

Model	T130/T130/T150/T170
Wattage	30W/40W/50W/70W
Case Pack	24pcs/24pcs/12pcs/12pcs
CBM	0.054m ³ /0.054m ³ /0.042m ³ /0.05m ³
Color Temperature: 3000K~10000K Voltage:85-265V Material:DIC-AL+PC	
Lamp Luminous Efficiency: >100LM/W Base Type:E27/B22 RA:>80	



LMC-T011

Model	T80/T100/T120/T120/T140
Wattage	20W/30W/40W/50W/60W
Case Pack	50pcs/24pcs/15pcs/15pcs/12pcs
CBM	0.06m ³ /0.058m ³ /0.056m ³ /0.056m ³ /0.065m ³
Color Temperature: 3000K~10000K Voltage:85-265V Material:PBT+PC	
Lamp Luminous Efficiency: >100LM/W Base Type:E27/B22 RA:>80	



LMC-T012

Model	T70/T80/T100/T110/T120/T135
Wattage	16W/20W/30W/40W/50W/60W
Case Pack	80pcs/24pcs/12pcs/12pcs/12pcs
CBM	0.069m ³ /0.032m ³ /0.031m ³ /0.04m ³ /0.053m ³
Color Temperature: 3000K~10000K Voltage:85-265V Material:PBT+PC	
Lamp Luminous Efficiency: >100LM/W Base Type:E27/B22 RA:>80	

T BULB



LMC-T005

Model	T80/T100/T115/T125/T135
Wattage	20W/30W/40W/50W/60W
Case Pack	100pcs/50pcs/40pcs/30pcs/24pcs
CBM	0.128m ³ /0.109m ³ /0.122m ³ /0.123m ³ /0.121m ³
Color Temperature:	3000K~10000K
Voltage:	85-265V
Material:	PBT+PC
Lamp Luminous Efficiency:	>100LM/W
Base Type:	E27/B22
RA:	>80



LMC-T006

Model	T80/T100/T115/T125/T135
Wattage	20W/30W/40W/50W/60W
Case Pack	100pcs/50pcs/40pcs/30pcs/24pcs
CBM	0.128m ³ /0.109m ³ /0.122m ³ /0.123m ³ /0.121m ³
Color Temperature:	3000K~10000K
Voltage:	85-265V
Material:	PBT+PC
Lamp Luminous Efficiency:	>100LM/W
Base Type:	E27/B22
RA:	>80



LMC-CP61

Model	T80/T100/T115/T125/T135
Wattage	20W/30W/40W/50W/60W
Case Pack	100pcs/50pcs/40pcs/30pcs/24pcs
CBM	0.128m ³ /0.109m ³ /0.122m ³ /0.123m ³ /0.121m ³
Color Temperature:	3000K~10000K
Voltage:	85-265V
Material:	PBT+PC
Lamp Luminous Efficiency:	>100LM/W
Base Type:	E27/B22
RA:	>80



LMC-CP59

Model	T80/T100/T115/T125/T135
Wattage	20W/30W/40W/50W/60W
Case Pack	100pcs/50pcs/40pcs/30pcs/24pcs
CBM	0.128m ³ /0.109m ³ /0.122m ³ /0.123m ³ /0.121m ³
Color Temperature:	3000K~10000K
Voltage:	85-265V
Material:	PBT+PC
Lamp Luminous Efficiency:	>100LM/W
Base Type:	E27/B22
RA:	>80

T BULB



LMC-R27

Model	T80/T100/T115/T125/T135
Wattage	20W/30W/40W/50W/60W
Case Pack	100pcs/50pcs/40pcs/30pcs/24pcs
CBM	0.128m ³ /0.109m ³ /0.122m ³ /0.123m ³ /0.121m ³
Color Temperature: 3000K~10000K	Voltage:85-265V
Material:PBT+PC	Lamp Luminous Efficiency: >100LM/W
Base Type:E27/B22	RA:>80



LMC-R37

Model	T80/T100/T115/T125/T135
Wattage	20W/30W/40W/50W/60W
Case Pack	100pcs/50pcs/40pcs/30pcs/24pcs
CBM	0.128m ³ /0.109m ³ /0.122m ³ /0.123m ³ /0.121m ³
Color Temperature: 3000K~10000K	Voltage:85-265V
Material:PBT+PC	Lamp Luminous Efficiency: >100LM/W
Base Type:E27/B22	RA:>80



LMC-R33

Model	T80/T100/T115/T125/T135
Wattage	20W/30W/40W/50W/60W
Case Pack	100pcs/50pcs/40pcs/30pcs/24pcs
CBM	0.128m ³ /0.109m ³ /0.122m ³ /0.123m ³ /0.121m ³
Color Temperature: 3000K~10000K	Voltage:85-265V
Material:PBT+PC	Lamp Luminous Efficiency: >100LM/W
Base Type:E27/B22	RA:>80



LMC-R36

Model	T80/T100/T115/T125/T135
Wattage	20W/30W/40W/50W/60W
Case Pack	40pcs/20pcs/20pcs/12pcs/12pcs
CBM	0.05m ³ /0.046m ³ /0.069m ³ /0.053m ³ /0.064m ³
Color Temperature: 3000K~10000K	Voltage:85-265V
Material:PBT+PC	Lamp Luminous Efficiency: >100LM/W
Base Type:E27/B22	RA:>80

T BULB



LMC-T001

Model	T80/T100/T115/T125/T135
Wattage	20W/30W/40W/50W/60W
Case Pack	100pcs/50pcs/40pcs/30pcs/24pcs
CBM	0.128m ³ /0.109m ³ /0.122m ³ /0.123m ³ /0.121m ³
Color Temperature: 3000K~10000K Voltage:85-265V Material:PBT+PC	
Lamp Luminous Efficiency: >100LM/W Base Type:E27/B22 RA:>80	



LMC-T002

Model	T80/T100/T115/T125/T135
Wattage	20W/30W/40W/50W/60W
Case Pack	50pcs/50pcs/40pcs/30pcs/24pcs
CBM	0.044m ³ /0.083m ³ /0.097m ³ /0.09m ³ /0.09m ³
Color Temperature: 3000K~10000K Voltage:85-265V Material:PBT+PC	
Lamp Luminous Efficiency: >100LM/W Base Type:E27/B22 RA:>80	



LMC-T003

Model	T80/T100/T115/T125/T135
Wattage	20W/30W/40W/50W/60W
Case Pack	100pcs/50pcs/40pcs/30pcs/24pcs
CBM	0.128m ³ /0.088m ³ /0.103m ³ /0.098m ³ /0.099m ³
Color Temperature: 3000K~10000K Voltage:85-265V Material:PBT+PC	
Lamp Luminous Efficiency: >100LM/W Base Type:E27/B22 RA:>80	



LMC-T004

Model	T80/T100/T115/T125/T135
Wattage	20W/30W/40W/50W/60W
Case Pack	100pcs/50pcs/40pcs/30pcs/24pcs
CBM	0.128m ³ /0.109m ³ /0.122m ³ /0.123m ³ /0.121m ³
Color Temperature: 3000K~10000K Voltage:85-265V Material:PBT+PC	
Lamp Luminous Efficiency: >100LM/W Base Type:E27/B22 RA:>80	

PANEL LIGHT



LMC-P001

Model	$\phi 90\text{mm}/\phi 120\text{mm}/\phi 175\text{mm}/\phi 225\text{mm}$
Wattage	9W/18W/24W/36W
Case Pack	50pcs/50pcs/40pcs/20pcs
CBM	$0.03\text{m}^3/0.046\text{m}^3/0.069\text{m}^3/0.053\text{m}^3$
Color Temperature: 3000K~10000K Voltage:85-265V Material:DIC-AL+PC	
Lamp Luminous Efficiency: >100LM/W RA:>80	



LMC-P002

Model	$\phi 120\text{mm}/\phi 175\text{mm}/\phi 225\text{mm}$
Wattage	18W/24W/36W
Case Pack	40pcs/40pcs/20pcs
CBM	$0.039\text{m}^3/0.065\text{m}^3/0.057\text{m}^3$
Color Temperature: 3000K~10000K Voltage:85-265V Material:DIC-AL+PC	
Lamp Luminous Efficiency: >100LM/W RA:>80	



LMC-P003

Model	$\phi 90\text{mm}/\phi 120\text{mm}/\phi 175\text{mm}/\phi 225\text{mm}$
Wattage	9W/18W/24W/36W
Case Pack	50pcs/60pcs/40pcs/20pcs
CBM	$0.03\text{m}^3/0.046\text{m}^3/0.059\text{m}^3/0.046\text{m}^3$
Color Temperature: 3000K~10000K Voltage:85-265V Material:DIC-AL+PC	
Lamp Luminous Efficiency: >100LM/W RA:>80	



LMC-P004

Model	$\phi 100\text{mm}/\phi 120\text{mm}/\phi 145\text{mm}/\phi 170\text{mm}/\phi 225\text{mm}$
Wattage	7W/12W/16W/24W/30W
Case Pack	40pcs/40pcs/20pcs/20pcs/20pcs
CBM	$0.022\text{m}^3/0.031\text{m}^3/0.023\text{m}^3/0.032\text{m}^3/0.05\text{m}^3$
Color Temperature: 3000K~10000K Voltage:85-265V Material:DIC-AL+PC	
Lamp Luminous Efficiency: >100LM/W RA:>80	

PANEL LIGHT



LMC-P005

Model	$\phi 90\text{mm}/\phi 120\text{mm}/\phi 145\text{mm}/\phi 175\text{mm}/\phi 225\text{mm}$
Wattage	10W/15W/20W/30W/45W
Case Pack	80pcs/60pcs/40pcs/40pcs/20pcs
CBM	$0.46\text{m}^3/0.034\text{m}^3/0.052\text{m}^3/0.67\text{m}^3/0.57\text{m}^3$
Color Temperature: 3000K~10000K Voltage:85-265V Material:DIC-AL+PC	
Lamp Luminous Efficiency: >100LM/W RA:>80	



LMC-P006

Model	$\phi 85\text{mm}/\phi 105\text{mm}/\phi 130\text{mm}/\phi 165\text{mm}/\phi 210\text{mm}$
Wattage	8W/12W/16W/24W/36W
Case Pack	80pcs/60pcs/60pcs/40pcs/20pcs
CBM	$0.41\text{m}^3/0.034\text{m}^3/0.055\text{m}^3/0.67\text{m}^3/0.57\text{m}^3$
Color Temperature: 3000K~10000K Voltage:85-265V Material:DIC-AL+PC	
Lamp Luminous Efficiency: >100LM/W RA:>80	



LMC-P007



Model	$\phi 120\text{mm}/\phi 175\text{mm}/\phi 220\text{mm}$
Wattage	18W+18W/24W+24W/36W+36W
Case Pack	60pcs/40pcs/20pcs
CBM	$0.052\text{m}^3/0.069\text{m}^3/0.057\text{m}^3$
Color Temperature: 3000K~10000K Voltage:85-265V Material:DIC-AL+PC	
Lamp Luminous Efficiency: >100LM/W RA:>80	



LMC-P008

Model	$\phi 85\text{mm}/\phi 105\text{mm}/\phi 130\text{mm}/\phi 165\text{mm}/\phi 210\text{mm}$
Wattage	3W+3W/6W+6W/9W+6W/12W+6W/15W+9W/24W+9W
Case Pack	80pcs/60pcs/60pcs/40pcs/20pcs
CBM	$0.41\text{m}^3/0.034\text{m}^3/0.055\text{m}^3/0.67\text{m}^3/0.57\text{m}^3$
Color Temperature: 3000K~10000K Voltage:85-265V Material:DIC-AL+PC	
Lamp Luminous Efficiency: >100LM/W RA:>80	

LED SLIM FIXTURE




LMC-S001

Wattage	30W/40W/50W/50W/80W/100W
Case Pack	30pcs/30pcs/20pcs/30pcs/30pcs/20pcs
CBM	0.042m ³ /0.06m ³ /0.06m ³ /0.083m ³ /0.1m ³ /0.1m ³
Prodcy Size	62*(6.5/7.4/9.3)*2.5/ 120*(6.5/7.4/9.3)*2.5
Color Temperature: 3000K~10000K Voltage:85-265V Material:AL+PC	
Lamp Luminous Efficiency: >100LM/W RA:>80	

SOLAR STERRT LAMP



SOLAR STERRT LAMP



SOLAR STERRT LAMP

